



NEST HEALTHCARE PRIVATE LIMITED

PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415
 REG.OFF.: PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415
 C.I.No. : U24232GJ2014PTC079983
 Email : mkt@nest-india.com Website : www.nest-india.com

QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : CARVEDINN-3.125	A.R. No. : FPD/210362B
Packing : 10x10 TAB	Rel. Dt. : 04-09-2021
Generic Name : CARVEDILOL TABLETS IP 3.125MG	T.R. Slip No. : FPTR210662
Product Code : INNO07	T.R. Slip Dt. : 01-08-2021
Batch No. : NHD21301B	Analysis Date : 04-09-2021
Actual Batch Size : 55000 TAB (550 BOX)	Mfg. Dt. : 06/2021
Packing Batch Size : 55000 TAB	Exp. Dt. : 05/2023
Sample Size : 50.000 TAB	Test Packing : 10X10
Released Qty : 55000.000 TAB (550 BOX)	Mfg. Lic No. : G/25/2184
Remarks :	Test As Per : IP
	Location : ODHAV
	Make : NHPL

Sr.	Test	Result	Specification
1	DESCRIPTION	An orange colored round, biconvex shaped, film coated tablets with both side plain.	An orange colored round, biconvex shaped, film coated tablets with both side plain.
2	AVERAGE WEIGHT	110.2 mg	110 mg \pm 5.0 %
3	UNIFORMITY OF WEIGHT	-3.90 % to +4.00 %	\pm 7.5 % of Average weight
4	THICKNESS	3.18 mm	3.20 \pm 0.2 mm
5	DIAMETER	6.54 mm	6.60 \pm 0.2 mm
6	HARDNESS	4.9 kg/cm ²	NLT 2.0 kg/cm ²
7	DISINTEGRATION TIME	03 min 06 sec	NMT 30 Minute
8	IDENTIFICATION	Complies	In the Assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution.
9	DISSOLUTION	Min: 79.16 % Max: 89.09 %	NLT 70 (D) + 5 % of the stated amount of C24H26N2O4.
10	RELATED SUBSTANCE	Any Secondary Impurity: Not Detected Total Impurity: Not Detected	Any Secondary Impurity: NMT 0.5 % Total Impurity: NMT 2.0 %
11	UNIFORMITY OF CONTENTS	Min: 94.42 % Max: 100.23 %	85.0 % to 115.0 %.
12	ASSAY	3.287 mg 105.20 %	Carvedilol IP 3.125 mg [Limit: 2.8125 mg to 3.4375 mg, 90.0 % to 110.0 %]

Conclusion : The above sample complies as per IP
 In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By	Checked By	Approved By
		