



# NEST HEALTHCARE PRIVATE LIMITED

PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415  
 REG.OFF.: PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415  
 C.I.No. : U24232GJ2014PTC079983  
 Email : mkt@nest-india.com Website : www.nest-india.com

## QUALITY CONTROL DEPARTMENT

Page 1 of 2

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : GLIBINN-5	<b>A.R. No.</b> : FPD/210605A
<b>Packing</b> : 10x10 TAB	<b>Rel. Dt.</b> : 30-09-2021
<b>Generic Name</b> : GLIBENCLAMIDE TABLETS IP 5 MG	<b>T.R. Slip No.</b> : FPTR210824
<b>Product Code</b> : GLUC03	<b>T.R. Slip Dt.</b> : 25-09-2021
<b>Batch No.</b> : NHD21472A	<b>Analysis Date</b> : 30-09-2021
<b>Actual Batch Size</b> : 55000 TAB (550 BOX)	
<b>Mfg. Dt.</b> : 09/2021	
<b>Exp. Dt.</b> : 08/2023	
<b>Test Packing</b> : 10X10	
<b>Packing Batch Size</b> : 55000 TAB	
<b>Mfg. Lic No.</b> : G/25/2184	
<b>Sample Size</b> : 50.000 TAB	
<b>Released Qty</b> : 55000.000 TAB (550 BOX)	<b>Test As Per</b> : IP
<b>Remarks</b> :	<b>Location</b> : ODHAV
	<b>Make</b> : NHPL

Sr.	Test	Result	Specification
1	DESCRIPTION	A White coloured, round shape, biconvex, unscored uncoated tablets.	A White coloured, round shape, biconvex, unscored uncoated tablets.
2	AVERAGE WEIGHT ( TABLETS )	198.8 mg	200.0 mg $\pm$ 5 %
3	UNIFORMITY OF WEIGHT	-3.32 % to +2.97 %	$\pm$ 5.0 % of Average weight
4	DISINTEGRATION TIME	03 min 19 sec	NMT 15 Minute
5	FRIABILITY	0.07 %	NMT 1.0 % w/w
6	HARDNESS	5.2 kg/cm <sup>2</sup>	NLT 3.0 kg/cm <sup>2</sup>
7	DIAMETER	8.04 mm	8.00 $\pm$ 0.2 mm
8	THICKNESS	3.82 mm	3.80 $\pm$ 0.2 mm
9	IDENTIFICATION	Complies	(A) In the Assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution. B) In the test for related substances, the principal spot in the chromatogram obtained with the test solution corresponds to that in the chromatogram obtained with reference solution (a).
10	RELATED SUBSTANCE	Complies	Any secondary spot in the chromatogram obtained with the test solution is not more intense than the spot in the chromatogram obtained with reference solution (b).
11	UNIFORMITY OF CONTENTS	Min: 88.45 % Max: 95.34 %	85.0 % to 115.0 %
12	ASSAY	4.88 mg	1) Glibenclamide 5 mg

Conclusion : The above sample complies as per IP

In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By	Checked By	Approved By
 30/09/21	 30/09/21	 30/09/2021



# NEST HEALTHCARE PRIVATE LIMITED

PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415  
REG.OFF.: PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415  
C.I.No. : U24232GJ2014PTC079983  
Email : mkt@nest-india.com Website : www.nest-india.com

## QUALITY CONTROL DEPARTMENT

Page 2 of 2




THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : GLIBINN-5	<b>A.R. No.</b> : FPD/210605A
<b>Packing</b> : 10x10 TAB	<b>Rel. Dt.</b> : 30-09-2021
<b>Generic Name</b> : GLIBENCLAMIDE TABLETS IP 5 MG	<b>T.R. Slip No.</b> : FPTR210824
<b>Product Code</b> : GLUC03	<b>T.R. Slip Dt.</b> : 25-09-2021
<b>Batch No.</b> : NHD21472A	<b>Analysis Date</b> : 30-09-2021
<b>Actual Batch Size</b> : 55000 TAB (550 BOX)	
<b>Packing Batch Size</b> : 55000 TAB	
<b>Sample Size</b> : 50.000 TAB	
<b>Released Qty</b> : 55000.000 TAB (550 BOX)	
<b>Remarks</b> :	
<b>Mfg. Dt.</b> : 09/2021	
<b>Exp. Dt.</b> : 08/2023	
<b>Test Packing</b> : 10X10	
<b>Mfg. Lic No.</b> : G/25/2184	
<b>Test As Per</b> : IP	
<b>Location</b> : ODHAV	
<b>Make</b> : NHPL	

Sr.	Test	Result	Specification
		97.65 %	[Limit : 90.0 % to 110.0 %]

Conclusion : The above sample complies as per IP  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared By</b>  30/09/21	<b>Checked By</b>  30/09/21	<b>Approved By</b>  30/09/2021
---	--	---