



# NEST HEALTHCARE PRIVATE LIMITED

PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415  
REG.OFF.: PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415  
C.I.No. : U24232GJ2014PTC079983  
Email : mkt@nest-india.com Website : www.nest-india.com

## QUALITY CONTROL DEPARTMENT

Page 1 of 2

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))




### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : METORYL 2M PLUS	<b>A.R. No.</b> : FPD/210554B
<b>Packing</b> : 10x10 TAB	<b>Rel. Dt.</b> : 24-09-2021
<b>Generic Name</b> : GLIMEPIRIDE 2 & METFORMIN 1000 SR TAB - QUINOLINE YELLOW	<b>T.R. Slip No.</b> : FPTR210821
<b>Product Code</b> : METO24	<b>T.R. Slip Dt.</b> : 24-09-2021
<b>Batch No.</b> : NHD21433B	<b>Analysis Date</b> : 24-09-2021
<b>Actual Batch Size</b> : 50000 TAB (500 BOX)	
<b>Packing Batch Size</b> : 50000 TAB	
<b>Sample Size</b> : 50.000 TAB	
<b>Released Qty</b> : 50000.000 TAB (500 BOX)	
<b>Remarks</b> :	
<b>Mfg. Dt.</b> : 08/2021	<b>Location</b> : ODHAV
<b>Exp. Dt.</b> : 07/2023	<b>Make</b> : NHPL
<b>Test Packing</b> : 10X10	
<b>Mfg. Lic No.</b> : G/25/2184	
<b>Test As Per</b> : IP	

Sr.	Test	Result	Specification
1	DESCRIPTION	A white-yellow coloured, oblong, biconvex shaped, uncoated bilayered tablets with both side plain.	A white-yellow coloured, oblong, biconvex shaped, uncoated bilayered tablets with both side plain.
2	AVERAGE WEIGHT ( TABLETS )	1286.0 mg	1290.0 mg $\pm$ 5.0 %.
3	UNIFORMITY OF WEIGHT	-2.04 % to +1.81 %	$\pm$ 5.0 % of Average weight
4	THICKNESS	5.93 mm	6.00 $\pm$ 0.2 mm
5	WIDTH	9.92 mm	10.00 $\pm$ 0.2 mm
6	LENGTH	19.92 mm	20.00 $\pm$ 0.2 mm
7	HARDNESS	11.5 kg/cm <sup>2</sup>	NLT 10.0 kg/cm <sup>2</sup>
8	FRIABILITY	0.07 %	NMT 1.0 % w/w
9	DISSOLUTION	.	.
1	Metformine HCl (After 1 Hour)	Min: 37.16 % Max: 44.52 %	25.0 % to 50.0 %
2	Metformine HCl (After 3 Hour)	Min: 67.10 % Max: 70.87 %	50.0 % to 75.0 %
3	Metformine HCl (After 10 Hour)	Min: 90.47 % Max: 94.03 %	NLT 80.0%
4	Glimepiride	Min: 96.52 % Max: 99.51 %	NLT 70.0 (D) + 5 % of the stated amounts of C24H34N4O5S.
10	UNIFORMITY OF CONTENTS	Min: 89.61 % Max: 101.41 %	(Glimepiride) 85.0 % to 115.0 %
11	ASSAY	.	.
1	ASSAY 1	988.06 mg 98.81 %	Metformin HCl IP 1000 mg 900.0 mg to 1100.0 mg, 90.0 % to 110.0 %

Conclusion : The above sample complies as per IP

In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By	Checked By	Approved By
 24/09/21	 24/09/21	 24/09/21

FGANLCERTQA



# NEST HEALTHCARE PRIVATE LIMITED

PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415  
REG.OFF.: PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415  
C.I.No. : U24232GJ2014PTC079983  
Email : mkt@nest-india.com Website : www.nest-india.com

## QUALITY CONTROL DEPARTMENT

Page 2 of 2

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))




### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : METORYL 2M PLUS <b>Packing</b> : 10x10 TAB <b>Generic Name</b> : GLIMEPIRIDE 2 & METFORMIN 1000 SR TAB - QUINOLINE YELLOW	<b>A.R. No.</b> : FPD/210554B <b>Rel. Dt.</b> : 24-09-2021 <b>T.R. Slip No.</b> : FPTR210821 <b>T.R. Slip Dt.</b> : 24-09-2021 <b>Analysis Date</b> : 24-09-2021
<b>Product Code</b> : METO24 <b>Batch No.</b> : NHD21433B <b>Actual Batch Size</b> : 50000 TAB (500 BOX) <b>Packing Batch Size</b> : 50000 TAB <b>Sample Size</b> : 50.000 TAB <b>Released Qty</b> : 50000.000 TAB (500 BOX)	<b>Mfg. Dt.</b> : 08/2021 <b>Exp. Dt.</b> : 07/2023 <b>Test Packing</b> : 10X10 <b>Mfg. Lic No.</b> : G/25/2184 <b>Test As Per</b> : IP
<b>Remarks</b> :	<b>Location</b> : ODHAV <b>Make</b> : NHPL

Sr.	Test	Result	Specification
2	ASSAY 2	1.9074 mg 95.37 %	Glimepiride IP 2 mg 1.8 mg to 2.2 mg, 90.0 % to 110.0 %

Conclusion : The above sample complies as per IP

In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared By</b>  24/09/21	<b>Checked By</b>  24/09/21	<b>Approved By</b>  24/09/21
---	--	---

FGANLCERTQA