



NEST HEALTHCARE PRIVATE LIMITED

PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415
 REG.OFF.: PLOT NO. 300,G.I.D.C,ODHAV,AHMEDABAD-382415
 C.I.No. : U24232GJ2014PTC079983
 Email : mkt@nest-india.com Website : www.nest-india.com

QUALITY CONTROL DEPARTMENT

Page 1 of 1




THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

| | |
|---|-----------------------------------|
| Product Name : ROSUVINN-40 | A.R. No. : FPD/210499A |
| Packing : 10x10 TAB | Rel. Dt. : 27-09-2021 |
| Generic Name : ROSUVASTATIN TABLETS IP 40 MG | T.R. Slip No. : FPTR210668 |
| Product Code : ROBU02 | T.R. Slip Dt. : 10-08-2021 |
| Batch No. : NHD21393A | Analysis Date : 27-09-2021 |
| Actual Batch Size : 51000 TAB (510 BOX) | |
| Packing Batch Size : 51000 TAB | |
| Sample Size : 50.000 TAB | |
| Released Qty : 51000.000 TAB (510 BOX) | |
| Mfg. Dt. : 08/2021 | |
| Exp. Dt. : 07/2023 | |
| Test Packing : 10X10 | |
| Mfg. Lic No. : G/25/2184 | |
| Test As Per : IP | |
| Remarks : | |
| Location : ODHAV | |
| Make : NHPL | |

| Sr. | Test | Result | Specification |
|-----|----------------------------|---|---|
| 1 | DESCRIPTION | A white coloured, round shape, biconvex, coated tablets with both side plain. | A white coloured, round shape, biconvex, coated tablets with both side plain. |
| 2 | AVERAGE WEIGHT (TABLETS) | 300.4 mg | 308 mg ± 5.0 % |
| 3 | UNIFORMITY OF WEIGHT | -1.03 % to +0.60 % | ± 5.0 % of Average weight |
| 4 | DISINTEGRATION TIME | 05 min 27 sec | NMT 30 Minute |
| 5 | HARDNESS | 6.2 kg/cm ² | NLT 3.0 kg/cm ² |
| 6 | THICKNESS | 4.02 mm | 4.10 ± 0.2 mm |
| 7 | DIAMETER | 9.40 mm | 9.50 ± 0.2 mm |
| 8 | DISSOLUTION | Min: 93.12 % Max: 102.27 % | Not less than 70 % + 5 (D) of the stated amount of C22H28FN3O6S. |
| 9 | RELATED SUBSTANCE | Any Secondary Impurity: Not Detected Total Impurity: Not Detected | Any Secondary Impurity: NMT 1.5 % Total Impurity: NMT 3.0 % |
| 10 | ASSAY | 41.94 mg 104.85 % | L.C. = Label Claim (40 mg) Standard/Limit: 90.0 % to 110.0 % |

Conclusion : The above sample complies as per IP
 In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

| Prepared By | Checked By | Approved By |
|---|---|---|
|  27/09/21 |  28/09/21 |  29/09/2021 |